

## Administrivia

- **Project 2 due Friday at 12pm (noon)**
- **Midterm Monday 2/12**
  - Open notes + any freely available materials you print
  - **Bring printouts of lecture slides**
  - No electronic devices
  - No textbook (exam not based on textbook; don't want people to shell out \$100 just for exam)
  - Covers first 9 lectures of course (including today)
- **Midterm review section Friday 10:30pm Gates B01, televised**
- **Section for Project 3 next Friday 2/16**

1/41

## Outline

- 1 Malloc and fragmentation
- 2 Exploiting program behavior
- 3 Allocator designs
- 4 User-level MMU tricks
- 5 Garbage collection

2/41


## Dynamic memory allocation

- **Almost every useful program uses it**
  - Gives wonderful functionality benefits
    - ▷ Don't have to statically specify complex data structures
    - ▷ Can have data grow as a function of input size
    - ▷ Allows recursive procedures (stack growth)
  - But, can have a huge impact on performance
- **Today: how to implement it**
  - Lecture based on [Wilson]
- **Some interesting facts:**
  - Two or three line code change can have huge, non-obvious impact on how well allocator works (examples to come)
  - Proven: impossible to construct an "always good" allocator
  - Surprising result: memory management still poorly understood

3/41

## Why is it hard?

- **Satisfy arbitrary set of allocation and frees.**
- **Easy without free: set a pointer to the beginning of some big chunk of memory ("heap") and increment on each allocation:**




- **Problem: free creates holes ("fragmentation")**  
**Result? Lots of free space but cannot satisfy request!**



4/41




## More abstractly

- **What an allocator must do?**  **freelist**
    - Track which parts of memory in use, which parts are free
    - Ideal: no wasted space, no time overhead
  - **What the allocator cannot do?**
    - Control order of the number and size of requested blocks
    - Know the number, size, or lifetime of future allocations
    - Move allocated regions (bad placement decisions permanent)
- `malloc(20)?`

20	10	20	10	20
----	----	----	----	----
- **The core fight: minimize fragmentation**
    - App frees blocks in any order, creating holes in "heap"
    - Holes too small? cannot satisfy future requests

5/41


## What is fragmentation really?

- **Inability to use memory that is free**
- **Two factors required for fragmentation**
  1. Different lifetimes—if adjacent objects die at different times, then fragmentation:  

    - ▷ If all objects die at the same time, then no fragmentation:  

  2. Different sizes: If all requests the same size, then no fragmentation (that's why no external fragmentation with paging):  


6/41

## Important decisions

- **Placement choice: where in free memory to put a requested block?**
  - Freedom: can select any memory in the heap
  - Ideal: put block where it won't cause fragmentation later (impossible in general: requires future knowledge)
- **Split free blocks to satisfy smaller requests?**
  - Fights internal fragmentation
  - Freedom: can choose any larger block to split
  - One way: choose block with smallest remainder (best fit)
- **Coalescing free blocks to yield larger blocks**



- Freedom: when to coalesce (deferring can save work)
- Fights external fragmentation

7/41


## Impossible to “solve” fragmentation

- **If you read allocation papers to find the best allocator**
  - All discussions revolve around tradeoffs
  - The reason? There cannot be a best allocator
- **Theoretical result:**
  - For any possible allocation algorithm, there exist streams of allocation and deallocation requests that defeat the allocator and force it into severe fragmentation.
- **How much fragmentation should we tolerate?**
  - Let  $M$  = bytes of live data,  $n_{\min}$  = smallest allocation,  $n_{\max}$  = largest – How much gross memory required?
  - Bad allocator:  $M \cdot (n_{\max}/n_{\min})$ 
    - E.g., only ever use a memory location for a single size
    - E.g., make all allocations of size  $n_{\max}$  regardless of requested size
  - Good allocator:  $\sim M \cdot \log(n_{\max}/n_{\min})$

8/41

## Pathological examples

- **Suppose heap currently has 7 20-byte chunks**



- What's a bad stream of frees and then allocates?
- **Given a 128-byte limit on malloced space**
  - What's a really bad combination of mallocs & frees?
- **Next: two allocators (best fit, first fit) that, in practice, work pretty well**
  - “pretty well” = ~20% fragmentation under many workloads

9/41

## Pathological examples

- **Suppose heap currently has 7 20-byte chunks**



- What's a bad stream of frees and then allocates?
- Free every other chunk, then alloc 21 bytes
- **Given a 128-byte limit on malloced space**
  - What's a really bad combination of mallocs & frees?
- **Next: two allocators (best fit, first fit) that, in practice, work pretty well**
  - “pretty well” = ~20% fragmentation under many workloads

9/41

## Pathological examples

- **Suppose heap currently has 7 20-byte chunks**




- What's a bad stream of frees and then allocates?
- Free every other chunk, then alloc 21 bytes
- **Given a 128-byte limit on malloced space**
  - What's a really bad combination of mallocs & frees?
  - Malloc 128 1-byte chunks, free every other
  - Malloc 32 2-byte chunks, free every other (1- & 2-byte) chunk
  - Malloc 16 4-byte chunks, free every other chunk...
- **Next: two allocators (best fit, first fit) that, in practice, work pretty well**
  - “pretty well” = ~20% fragmentation under many workloads

9/41

## Best fit

- **Strategy: minimize fragmentation by allocating space from block that leaves smallest fragment**

- Data structure: heap is a list of free blocks, each has a header holding block size and a pointer to the next block



- Code: Search freelist for block closest in size to the request. (Exact match is ideal)
- During free (usually) coalesce adjacent blocks
- **Potential problem: Sawdust**
  - Remainder so small that over time left with “sawdust” everywhere
  - Fortunately not a problem in practice

10/41

## Best fit gone wrong

- **Simple bad case: allocate  $n, m$  ( $n < m$ ) in alternating orders, free all the  $n$ s, then try to allocate an  $n + 1$**
- **Example: start with 99 bytes of memory**
  - alloc 19, 21, 19, 21, 19

19	21	19	21	19
----	----	----	----	----

  - free 19, 19, 19:

19	21	19	21	19
----	----	----	----	----

  - alloc 20? Fails! (wasted space = 57 bytes)
- **However, doesn't seem to happen in practice**

11 / 41

## First fit

- **Strategy: pick the first block that fits**
  - Data structure: free list, sorted LIFO, FIFO, or by address
  - Code: scan list, take the first one
- **LIFO: put free object on front of list.**
  - Simple, but causes higher fragmentation
  - Potentially good for cache locality
- **Address sort: order free blocks by address**
  - Makes coalescing easy (just check if next block is free)
  - Also preserves empty/idle space (locality good when paging)
- **FIFO: put free object at end of list**
  - Gives similar fragmentation as address sort, but unclear why

12 / 41

## Subtle pathology: LIFO FF

- **Storage management example of subtle impact of simple decisions**
- **LIFO first fit seems good:**
  - Put object on front of list (cheap), hope same size used again (cheap + good locality)
- **But, has big problems for simple allocation patterns:**
  - E.g., repeatedly intermix short-lived  $2n$ -byte allocations, with long-lived  $(n + 1)$ -byte allocations
  - Each time large object freed, a small chunk will be quickly taken, leaving useless fragment. Pathological fragmentation

13 / 41

## First fit: Nuances

- **First fit sorted by address order, in practice:**
  - Blocks at front preferentially split, ones at back only split when no larger one found before them
  - Result? Seems to roughly sort free list by size
  - So? Makes first fit operationally similar to best fit: a first fit of a sorted list = best fit!
- **Problem: sawdust at beginning of the list**
  - Sorting of list forces a large requests to skip over many small blocks. Need to use a scalable heap organization
- **Suppose memory has free blocks:**

20	→	15
----	---	----

  - If allocation ops are 10 then 20, best fit wins
  - When is FF better than best fit?

14 / 41

## First fit: Nuances

- **First fit sorted by address order, in practice:**
  - Blocks at front preferentially split, ones at back only split when no larger one found before them
  - Result? Seems to roughly sort free list by size
  - So? Makes first fit operationally similar to best fit: a first fit of a sorted list = best fit!
- **Problem: sawdust at beginning of the list**
  - Sorting of list forces a large requests to skip over many small blocks. Need to use a scalable heap organization
- **Suppose memory has free blocks:**

20	→	15
----	---	----

  - If allocation ops are 10 then 20, best fit wins
  - When is FF better than best fit?
  - Suppose allocation ops are 8, 12, then 12  $\implies$  first fit wins

14 / 41

## Some worse ideas

- **Worst-fit:**
  - Strategy: fight against sawdust by splitting blocks to maximize leftover size
  - In real life seems to ensure that no large blocks around
- **Next fit:**
  - Strategy: use first fit, but remember where we found the last thing and start searching from there
  - Seems like a good idea, but tends to break down entire list
- **Buddy systems:**
  - Round up allocations to power of 2 to make management faster
  - Result? Heavy internal fragmentation

15 / 41


## Outline

- 1 Malloc and fragmentation
- 2 Exploiting program behavior
- 3 Allocator designs
- 4 User-level MMU tricks
- 5 Garbage collection


## Known patterns of real programs

- So far we've treated programs as black boxes.
- Most real programs exhibit 1 or 2 (or all 3) of the following patterns of alloc/dealloc:


- *Ramps*: accumulate data monotonically over time



- *Peaks*: allocate many objects, use briefly, then free all




- *Plateaus*: allocate many objects, use for a long time



16 / 41

17 / 41


## Pattern 1: ramps



- In a practical sense: ramp = no free!
  - Implication for fragmentation?
  - What happens if you evaluate allocator with ramp programs only?

18 / 41

## Pattern 2: peaks




- Peaks: allocate many objects, use briefly, then free all
  - Fragmentation a real danger
  - What happens if peak allocated from contiguous memory?
  - Interleave peak & ramp? Interleave two different peaks?

19 / 41


## Exploiting peaks

- Peak phases: allocate a lot, then free everything
  - Change allocation interface: allocate as before, but only support free of everything all at once
  - Called "arena allocation", "obstack" (object stack), or `alloca`/procedure call (by compiler people)
- Arena = a linked list of large chunks of memory
  - Advantages: alloc is a pointer increment, free is "free"  
No wasted space for tags or list pointers



20 / 41

## Pattern 3: Plateaus




- Plateaus: allocate many objects, use for a long time
  - What happens if overlap with peak or different plateau?

21 / 41

## Fighting fragmentation

- **Segregation = reduced fragmentation:**

- Allocated at same time ~ freed at same time
- Different type ~ freed at different time



- **Implementation observations:**

- Programs allocate a small number of different sizes
- Fragmentation at peak usage more important than at low usage
- Most allocations small (< 10 words)
- Work done with allocated memory increases with size
- Implications?

22 / 41

## Outline

- 1 Malloc and fragmentation
- 2 Exploiting program behavior
- 3 **Allocator designs**
- 4 User-level MMU tricks
- 5 Garbage collection

23 / 41

## Slab allocation [Bonwick]

- **Kernel allocates many instances of same structures**

- E.g., a 1.7 kB `task_struct` for every process on system

- **Often want contiguous *physical* memory (for DMA)**

- **Slab allocation optimizes for this case:**

- A **slab** is multiple pages of contiguous physical memory
- A **cache** contains one or more slabs
- Each cache stores only one kind of object (fixed size)

- **Each slab is full, empty, or partial**


- **E.g., need new `task_struct`?**

- Look in the `task_struct` cache
- If there is a partial slab, pick free `task_struct` in that
- Else, use empty, or may need to allocate new slab for cache

- **Advantages: speed, and no internal fragmentation**

24 / 41

## Simple, fast segregated free lists



- **Array of free lists for small sizes, tree for larger**

- Place blocks of same size on same page
- Have count of allocated blocks: if goes to zero, can return page

- **Pro: segregate sizes, no size tag, fast small alloc**

- **Con: worst case waste: 1 page per size even w/o free, After pessimal free: waste 1 page per object**

- **TCMalloc [Ghemawat] is a well-documented malloc like this**


25 / 41

## Typical space overheads

- **Free list bookkeeping and alignment determine minimum allocatable size:**

- **If not implicit in page, must store size of block**

- **Must store pointers to next and previous freelist element**



- **Allocator doesn't know types**

- Must align memory to conservative boundary


- **Minimum allocation unit? Space overhead when allocated?**

26 / 41

## Getting more space from OS

- **On Unix, can use `sbrk`**

- E.g., to activate a new zero-filled page:



```
/* add nbytes of valid virtual address space */
void *get_free_space(size_t nbytes) {
    void *p = sbrk(nbytes);
    if (!p)
        error("virtual memory exhausted");
    return p;
}
```

- **For large allocations, `sbrk` a bad idea**

- May want to give memory back to OS
- Can't with `sbrk` unless big chunk last thing allocated
- So allocate large chunk using `mmap`'s `MAP_ANON`


27 / 41

## Outline

- 1 Malloc and fragmentation
- 2 Exploiting program behavior
- 3 Allocator designs
- 4 User-level MMU tricks
- 5 Garbage collection

28 / 41


## Faults + resumption = power

- Resuming after fault lets us emulate many things
  - “All problems in CS can be solved by another layer of indirection”
- Example: sub-page protection
- To protect sub-page region in paging system:
  - Set entire page to most restrictive permission; record in PT
  - Any access that violates permission will cause a fault
  - Fault handler checks if page special, and if so, if access allowed
  - Allowed? Emulate write (“tracing”), otherwise raise error

29 / 41

## More fault resumption examples

- Emulate accessed bits:
  - Set page permissions to “invalid”.
  - On any access will get a fault: Mark as accessed
- Avoid save/restore of floating point registers
  - Make first FP operation cause fault so as to detect usage
- Emulate non-existent instructions:
  - Give inst an illegal opcode; OS fault handler detects and emulates fake instruction
- Run OS on top of another OS!
  - Slam OS into normal process
  - When does something “privileged,” real OS gets woken up with a fault.
  - If operation is allowed, do it or emulate it; otherwise kill guest
  - IBM’s VM/370. VMware (sort of)




30 / 41

## Not just for kernels

- User-level code can resume after faults, too. Recall:
  - `mprotect` – protects memory
  - `sigaction` – catches signal after page fault
  - Return from signal handler restarts faulting instruction
- Many applications detailed by [Appel & Li]
- Example: concurrent snapshotting of process
  - Mark all of process’s memory read-only with `mprotect`
  - One thread starts writing all of memory to disk
  - Other thread keeps executing
  - On fault – write that page to disk, make writable, resume

31 / 41

## Distributed shared memory



- Virtual memory allows us to go to memory or disk
  - But, can use the same idea to go anywhere! Even to another computer. Page across network rather than to disk. Faster, and allows network of workstations (NOW)

32 / 41

## Persistent stores

- Idea: Objects that persist across program invocations
  - E.g., object-oriented database; useful for CAD/CAM type apps
- Achieve by memory-mapping a file
- But only write changes to file at end if commit
  - Use dirty bits to detect which pages must be written out
  - Or emulate dirty bits with `mprotect/sigaction` (using write faults)
- On 32-bit machine, store can be larger than memory
  - But single run of program won’t access > 4GB of objects
  - Keep mapping of 32-bit memory pointers ↔ 64-bit disk offsets
  - Use faults to bring in pages from disk as necessary
  - After reading page, translate pointers—known as *swizzling*

33 / 41

## Outline

- 1 Malloc and fragmentation
- 2 Exploiting program behavior
- 3 Allocator designs
- 4 User-level MMU tricks
- 5 **Garbage collection**

34 / 41


## Garbage collection

- In safe languages, runtime knows about all pointers
  - So can move an object if you change all the pointers
- What memory locations might a program access?
  - Any objects whose pointers are currently in registers
  - Recursively, any pointers in objects it might access
  - Anything else is *unreachable*, or *garbage*; memory can be re-used
- Example: stop-and-copy garbage collection
  - Memory full? Temporarily pause program, allocate new heap
  - Copy all objects pointed to by registers into new heap
    - Mark old copied objects as copied, record new location
  - Start scanning through new heap. For each pointer:
    - Copied already? Adjust pointer to new location
    - Not copied? Then copy it and adjust pointer
  - Free old heap—program will never access it—and continue

35 / 41

## Concurrent garbage collection

- Idea: Stop & copy, but without the stop
  - Mutator thread runs program, collector concurrently does GC
- When collector invoked:
  - Protect from space & unscanned to space from mutator
  - Copy objects in registers into to space, resume mutator
  - All pointers in scanned to space point to to space
  - If mutator accesses unscanned area, fault, scan page, resume



36 / 41

## Heap overflow detection

- Many GCed languages need fast allocation
  - E.g., in lisp, constantly allocating cons cells
  - Allocation can be as often as every 50 instructions
- Fast allocation is just to bump a pointer

```
char *next_free;
char *heap_limit;

void *alloc (unsigned size) {
    if (next_free + size > heap_limit) /* 1 */
        invoke_garbage_collector (); /* 2 */
    char *ret = next_free;
    next_free += size;
    return ret;
}
```

- But would be even faster to eliminate lines 1 & 2!

37 / 41


## Heap overflow detection 2

- Mark page at end of heap inaccessible
  - `mprotect (heap_limit, PAGE_SIZE, PROT_NONE);`
- Program will allocate memory beyond end of heap
- Program will use memory and fault
  - Note: Depends on specifics of language
  - But many languages will touch allocated memory immediately
- Invoke garbage collector
  - Must now put just allocated object into new heap
- Note: requires more than just resumption
  - Faulting instruction must be resumed
  - But must resume with different target virtual address
  - Doable on most architectures since GC updates registers

38 / 41

## Reference counting

- Seemingly simpler GC scheme:
  - Each object has "ref count" of pointers to it
  - Increment when pointer set to it
  - Decrement when pointer killed (C++ destructors handy—c.f. `shared_ptr`)




```
void foo(bar c) {
    bar a b;
    a = c; // c.refcnt++
    b = a; // a.refcnt++
    a = 0; // c.refcnt--
    return; // b.refcnt--
}
```

- ref count == 0? Free object
- Works well for hierarchical data structures
  - E.g., pages of physical memory

39 / 41

## Reference counting pros/cons

- **Circular data structures always have ref count > 0**
  - No external pointers means **lost memory**



- **Can do manually w/o PL support, but error-prone**
- **Potentially more efficient than real GC**
  - No need to halt program to run collector
  - Avoids weird unpredictable latencies
- **Potentially less efficient than real GC**
  - With real GC, copying a pointer is cheap
  - With refcounts, must update count each time & possibly take lock (but C++11 `std::move` can avoid overhead)

40 / 41

## Ownership types

- **Another approach: avoid GC by exploiting type system**
  - Use ownership types, which prohibit copies
- **You can move a value into a new variable (e.g., copy pointer)**
  - But then the original variable is no longer usable
- **You can *borrow* a value by creating a pointer to it**
  - But must prove pointer will not outlive borrowed value
  - And can't use original unless both are read-only (to avoid races)
- **Ownership types available now in Rust language**
  - First serious competitor to C/C++ for OSes, browser engines
- **C++11 does something similar but weaker with unique types**
  - `std::unique_ptr`, `std::unique_lock`,...
  - Can `std::move` but not copy these

41 / 41